

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	N	Percent	95% Confidence Interval
a. Physical activity			
High Schools	87	53	46 - 61
Middle Schools	122	54	47 - 60
Junior/Senior High Schools	NA	NA	NA
All Schools	218	53	48 - 58
b. Nutrition			
High Schools	86	39	31 - 47
Middle Schools	121	33	27 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	216	36	31 - 41
c. Tobacco-use prevention			
High Schools	85	34	26 - 42
Middle Schools	121	33	27 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	215	33	29 - 38
d. Asthma			
High Schools	84	18	13 - 25
Middle Schools	119	23	18 - 29
Junior/Senior High Schools	NA	NA	NA
All Schools	212	22	18 - 27

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have a copy of district's wellness policy.

	N	Percent	95% Confidence Interval
Yes			
High Schools	88	81	74 - 86
Middle Schools	121	81	75 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	219	80	76 - 83
No			
High Schools	88	15	11 - 21
Middle Schools	121	16	12 - 21
Junior/Senior High Schools	NA	NA	NA
All Schools	219	16	13 - 20
District does not have wellness policy			
High Schools	88	4	2 - 9
Middle Schools	121	3	2 - 7
Junior/Senior High Schools	NA	NA	NA
All Schools	219	4	2 - 6

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	N	Percent	95% Confidence Interval
High Schools	90	86	80 - 90
Middle Schools	129	90	86 - 93
Junior/Senior High Schools	NA	NA	NA
All Schools	229	88	85 - 91

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
High Schools	90	57	49 - 65
Middle Schools	128	56	50 - 62
Junior/Senior High Schools	NA	NA	NA
All Schools	227	57	52 - 61

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
a. School administration			
High Schools	48	84	75 - 91
Middle Schools	67	89	81 - 93
Junior/Senior High Schools	NA	NA	NA
All Schools	120	88	82 - 91
b. Health education teachers			
High Schools	46	89	81 - 94
Middle Schools	67	95	90 - 98
Junior/Senior High Schools	NA	NA	NA
All Schools	118	93	89 - 96
c. Physical education teachers			
High Schools	47	98	92 - 99
Middle Schools	67	98	93 - 100
Junior/Senior High Schools	NA	NA	NA
All Schools	119	98	95 - 99
d. Mental health or social services staff			
High Schools	46	46	36 - 56
Middle Schools	63	43	34 - 53
Junior/Senior High Schools	NA	NA	NA
All Schools	114	44	37 - 51
e. Nutrition or food service staff			
High Schools	47	69	59 - 77
Middle Schools	66	66	57 - 73
Junior/Senior High Schools	NA	NA	NA
All Schools	118	66	59 - 71
f. Health services staff (e.g., school nurse)			
High Schools	45	84	74 - 91
Middle Schools	67	81	72 - 87
Junior/Senior High Schools	NA	NA	NA
All Schools	117	81	74 - 86

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
g. Maintenance and transportation staff			
High Schools	44	21	13 - 31
Middle Schools	63	14	9 - 21
Junior/Senior High Schools	NA	NA	NA
All Schools	112	18	13 - 23
h. Student body			
High Schools	46	69	61 - 77
Middle Schools	64	37	29 - 46
Junior/Senior High Schools	NA	NA	NA
All Schools	115	50	44 - 56
i. Parents or families of students			
High Schools	47	59	49 - 68
Middle Schools	67	49	41 - 56
Junior/Senior High Schools	NA	NA	NA
All Schools	119	53	47 - 59
j. Community			
High Schools	45	46	37 - 56
Middle Schools	63	49	41 - 56
Junior/Senior High Schools	NA	NA	NA
All Schools	113	48	41 - 54
k. Local health departments, agencies, or organizations			
High Schools	46	46	35 - 57
Middle Schools	64	45	37 - 53
Junior/Senior High Schools	NA	NA	NA
All Schools	115	46	40 - 52
l. Faith-based organizations			
High Schools	44	25	17 - 35
Middle Schools	63	21	15 - 29
Junior/Senior High Schools	NA	NA	NA
All Schools	112	24	19 - 29

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
m. Businesses			
High Schools	43	28	19 - 38
Middle Schools	62	25	19 - 33
Junior/Senior High Schools	NA	NA	NA
All Schools	110	26	21 - 32
n. Local government			
High Schools	43	21	14 - 31
Middle Schools	62	17	12 - 25
Junior/Senior High Schools	NA	NA	NA
All Schools	110	21	17 - 27

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	N	Percent	95% Confidence Interval
a. Ethnic/racial minority youth at high risk			
High Schools	89	38	30 - 46
Middle Schools	126	40	34 - 46
Junior/Senior High Schools	NA	NA	NA
All Schools	225	41	36 - 45
b. Youth who participate in drop-out prevention, alternative education, or GED programs			
High Schools	89	43	36 - 50
Middle Schools	126	35	30 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	225	40	36 - 44

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

	N	Percent	95% Confidence Interval
High Schools	88	15	10 - 21
Middle Schools	128	11	8 - 16
Junior/Senior High Schools	NA	NA	NA
All Schools	225	13	10 - 17

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
High Schools	86	64	56 - 70
Middle Schools	126	74	68 - 79
Junior/Senior High Schools	NA	NA	NA
All Schools	222	69	65 - 73
b. Procedures to protect HIV-infected students and staff from discrimination			
High Schools	86	68	60 - 75
Middle Schools	127	79	74 - 84
Junior/Senior High Schools	NA	NA	NA
All Schools	223	74	69 - 78
c. Maintaining confidentiality of HIV-infected students and staff			
High Schools	87	80	73 - 86
Middle Schools	127	87	82 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	224	84	80 - 87
d. Worksite safety			
High Schools	88	86	79 - 90
Middle Schools	127	89	84 - 92
Junior/Senior High Schools	NA	NA	NA
All Schools	225	87	83 - 90
e. Confidential counseling for HIV-infected students			
High Schools	87	66	59 - 72
Middle Schools	125	72	66 - 78
Junior/Senior High Schools	NA	NA	NA
All Schools	222	70	65 - 74
f. Communication of the policy to students, school staff, and parents			
High Schools	85	70	62 - 76
Middle Schools	124	68	61 - 73
Junior/Senior High Schools	NA	NA	NA
All Schools	219	68	63 - 73

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
High Schools	87	75	67 - 81
Middle Schools	127	81	76 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	224	78	73 - 81
h. Procedures for implementing the policy			
High Schools	86	66	58 - 73
Middle Schools	126	77	72 - 82
Junior/Senior High Schools	NA	NA	NA
All Schools	222	72	67 - 76

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	90	81	76 - 86
Middle Schools	126	82	78 - 86
Junior/Senior High Schools	NA	NA	NA
All Schools	226	82	79 - 85
b. No			
High Schools	90	14	10 - 20
Middle Schools	126	14	10 - 18
Junior/Senior High Schools	NA	NA	NA
All Schools	226	14	11 - 17
c. Not applicable			
High Schools	90	4	2 - 8
Middle Schools	126	4	2 - 6
Junior/Senior High Schools	NA	NA	NA
All Schools	226	4	2 - 6

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
High Schools	88	98	94 - 99
Middle Schools	128	96	94 - 98
Junior/Senior High Schools	NA	NA	NA
All Schools	226	97	95 - 98

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of all schools that taught a required physical education course in each of the following grades.

	N	Percent	95% Confidence Interval
a. Sixth grade			
High Schools	NA	NA	NA
Middle Schools	104	94	91 - 97
Junior/Senior High Schools	NA	NA	NA
All Schools	108	95	92 - 97
b. Seventh grade			
High Schools	NA	NA	NA
Middle Schools	119	94	91 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	128	94	90 - 96
c. Eighth grade			
High Schools	NA	NA	NA
Middle Schools	116	94	91 - 96
Junior/Senior High Schools	10	89	61 - 97
All Schools	126	94	90 - 96
d. Ninth grade			
High Schools	83	98	94 - 99
Middle Schools	10	40	22 - 61
Junior/Senior High Schools	NA	NA	NA
All Schools	102	92	89 - 95
e. Tenth grade			
High Schools	78	51	43 - 58
Middle Schools	NA	NA	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	87	52	45 - 60
f. Eleventh grade			
High Schools	79	50	43 - 58
Middle Schools	NA	NA	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	88	50	43 - 57
g. Twelfth grade			
High Schools	79	50	43 - 58
Middle Schools	NA	NA	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	88	50	43 - 57

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
High Schools	83	30	24 - 36
Middle Schools	118	28	22 - 34
Junior/Senior High Schools	10	19	6 - 44
All Schools	211	28	24 - 32
b. Participation in school sports			
High Schools	82	3	1 - 7
Middle Schools	118	5	3 - 9
Junior/Senior High Schools	10	7	2 - 25
All Schools	210	5	3 - 7
c. Participation in other school activities			
High Schools	82	74	67 - 79
Middle Schools	118	41	35 - 48
Junior/Senior High Schools	10	57	42 - 72
All Schools	210	54	50 - 59
d. Participation in community sports activities			
High Schools	82	2	1 - 6
Middle Schools	118	2	1 - 5
Junior/Senior High Schools	10	16	6 - 34
All Schools	210	3	2 - 5
e. Religious reasons			
High Schools	82	45	36 - 54
Middle Schools	114	47	41 - 54
Junior/Senior High Schools	10	93	75 - 98
All Schools	206	49	44 - 54
f. Long-term physical or medical disability			
High Schools	83	73	66 - 79
Middle Schools	119	90	85 - 93
Junior/Senior High Schools	10	80	59 - 92
All Schools	212	83	79 - 86
g. Cognitive disability			
High Schools	81	38	31 - 47
Middle Schools	118	27	22 - 33
Junior/Senior High Schools	10	50	25 - 75
All Schools	209	33	28 - 37

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
High Schools	82	2	1 - 6
Middle Schools	118	0	NA
Junior/Senior High Schools	10	7	2 - 25
All Schools	210	1	1 - 3
i. Participation in vocational training			
High Schools	82	2	1 - 6
Middle Schools	118	2	1 - 5
Junior/Senior High Schools	10	7	2 - 25
All Schools	210	3	1 - 5
j. Participation in community service activities			
High Schools	82	2	1 - 6
Middle Schools	118	1	0 - 3
Junior/Senior High Schools	10	7	2 - 25
All Schools	210	2	1 - 3

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	90	97	93 - 99
Middle Schools	130	99	96 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	230	98	96 - 99
b. No			
High Schools	90	3	1 - 7
Middle Schools	130	1	1 - 4
Junior/Senior High Schools	NA	NA	NA
All Schools	230	2	1 - 4
c. Not Applicable			
High Schools	90	0	NA
Middle Schools	130	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	230	0	NA

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

	N	Percent	95% Confidence Interval
High Schools	90	98	95 - 99
Middle Schools	127	99	97 - 100
Junior/Senior High Schools	NA	NA	NA
All Schools	227	99	97 - 99

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	N	Percent	95% Confidence Interval
a. Goals, objectives, and expected outcomes for physical education			
High Schools	90	100	NA
Middle Schools	129	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	229	99	97 - 99
b. A chart describing the annual scope and sequence of instruction for physical education			
High Schools	89	89	83 - 93
Middle Schools	125	90	86 - 92
Junior/Senior High Schools	NA	NA	NA
All Schools	224	89	86 - 91
c. Plans for how to assess student performance in physical education			
High Schools	90	96	92 - 98
Middle Schools	127	94	91 - 97
Junior/Senior High Schools	NA	NA	NA
All Schools	227	95	93 - 97
d. A written physical education curriculum			
High Schools	90	92	87 - 95
Middle Schools	127	89	86 - 92
Junior/Senior High Schools	NA	NA	NA
All Schools	227	91	88 - 93

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
High Schools	86	51	44 - 58
Middle Schools	119	63	57 - 70
Junior/Senior High Schools	NA	NA	NA
All Schools	214	56	52 - 61

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
High Schools	90	100	NA
Middle Schools	126	98	96 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	226	99	98 - 100

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	86	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	218	99	97 - 99
b. Smokeless tobacco			
High Schools	86	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	218	99	97 - 99
c. Cigars			
High Schools	86	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	218	99	97 - 99
d. Pipes			
High Schools	86	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	218	99	97 - 99

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	86	95	90 - 98
Middle Schools	123	93	89 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	218	94	91 - 96
b. Smokeless tobacco			
High Schools	86	95	90 - 98
Middle Schools	123	94	90 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	218	94	91 - 96
c. Cigars			
High Schools	86	95	90 - 98
Middle Schools	123	94	90 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	218	94	91 - 96
d. Pipes			
High Schools	86	95	90 - 98
Middle Schools	123	94	90 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	218	94	91 - 96

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	86	91	86 - 95
Middle Schools	123	92	89 - 95
Junior/Senior High Schools	NA	NA	NA
All Schools	218	92	89 - 94
b. Smokeless tobacco			
High Schools	86	86	80 - 91
Middle Schools	124	87	83 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	219	87	84 - 90
c. Cigars			
High Schools	86	91	86 - 95
Middle Schools	124	92	89 - 95
Junior/Senior High Schools	NA	NA	NA
All Schools	219	92	89 - 94
d. Pipes			
High Schools	86	91	86 - 95
Middle Schools	123	92	89 - 95
Junior/Senior High Schools	NA	NA	NA
All Schools	218	92	89 - 94

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	88	100	NA
Middle Schools	123	98	96 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	220	99	98 - 100
b. During non-school hours			
High Schools	85	89	84 - 93
Middle Schools	123	90	86 - 93
Junior/Senior High Schools	NA	NA	NA
All Schools	217	90	87 - 92

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	87	94	89 - 97
Middle Schools	123	93	89 - 96
Junior/Senior High Schools	NA	NA	NA
All Schools	219	93	90 - 95
b. During non-school hours			
High Schools	86	84	79 - 88
Middle Schools	122	81	76 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	217	82	78 - 85

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	87	93	89 - 96
Middle Schools	122	93	89 - 95
Junior/Senior High Schools	NA	NA	NA
All Schools	218	93	90 - 95
b. During non-school hours			
High Schools	86	81	76 - 86
Middle Schools	121	82	77 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	216	81	77 - 84

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	87	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	219	99	97 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	87	100	NA
Middle Schools	123	97	94 - 98
Junior/Senior High Schools	NA	NA	NA
All Schools	219	98	96 - 99
c. On school buses or other vehicles used to transport students			
High Schools	87	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	219	99	97 - 99
d. At off-campus, school-sponsored events			
High Schools	87	95	90 - 98
Middle Schools	123	94	90 - 97
Junior/Senior High Schools	NA	NA	NA
All Schools	219	95	92 - 97

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	87	100	NA
Middle Schools	123	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	219	99	97 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	87	92	86 - 95
Middle Schools	123	89	84 - 92
Junior/Senior High Schools	NA	NA	NA
All Schools	219	90	87 - 93
c. On school buses or other vehicles used to transport students			
High Schools	87	100	NA
Middle Schools	123	97	94 - 98
Junior/Senior High Schools	NA	NA	NA
All Schools	219	98	96 - 99
d. At off-campus, school-sponsored events			
High Schools	87	90	84 - 94
Middle Schools	120	89	85 - 93
Junior/Senior High Schools	NA	NA	NA
All Schools	216	90	87 - 92

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	87	99	96 - 100
Middle Schools	119	96	93 - 98
Junior/Senior High Schools	NA	NA	NA
All Schools	215	97	95 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	87	86	81 - 90
Middle Schools	119	81	75 - 86
Junior/Senior High Schools	NA	NA	NA
All Schools	215	82	78 - 86
c. On school buses or other vehicles used to transport students			
High Schools	87	98	94 - 99
Middle Schools	118	95	91 - 97
Junior/Senior High Schools	NA	NA	NA
All Schools	214	96	94 - 98
d. At off-campus, school-sponsored events			
High Schools	87	71	63 - 78
Middle Schools	118	74	67 - 80
Junior/Senior High Schools	NA	NA	NA
All Schools	214	72	68 - 77

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
High Schools	85	60	52 - 68
Middle Schools	121	56	49 - 62
Junior/Senior High Schools	NA	NA	NA
All Schools	215	57	52 - 62

*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	87	100	NA
Middle Schools	120	99	97 - 100
Junior/Senior High Schools	NA	NA	NA
All Schools	216	100	98 - 100
b. Faculty and staff			
High Schools	87	99	96 - 100
Middle Schools	120	99	97 - 100
Junior/Senior High Schools	NA	NA	NA
All Schools	216	99	97 - 99
c. Visitors			
High Schools	85	97	93 - 99
Middle Schools	117	89	84 - 93
Junior/Senior High Schools	NA	NA	NA
All Schools	210	93	90 - 95

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
High Schools	87	100	NA
Middle Schools	122	98	96 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	218	99	98 - 100

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	76	49	42 - 56
Middle Schools	108	49	43 - 55
Junior/Senior High Schools	NA	NA	NA
All Schools	192	51	47 - 56
b. Principal			
High Schools	76	34	27 - 42
Middle Schools	108	36	30 - 42
Junior/Senior High Schools	NA	NA	NA
All Schools	192	34	29 - 38
c. Assistant principal			
High Schools	76	17	12 - 23
Middle Schools	108	14	10 - 18
Junior/Senior High Schools	NA	NA	NA
All Schools	192	15	12 - 18
d. Other school administrator			
High Schools	76	0	NA
Middle Schools	108	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	192	0	NA
e. Other school faculty or staff member			
High Schools	76	0	NA
Middle Schools	108	1	0 - 4
Junior/Senior High Schools	NA	NA	NA
All Schools	192	0	0 - 2

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Zero tolerance			
High Schools	90	85	78 - 89
Middle Schools	130	79	74 - 83
Junior/Senior High Schools	NA	NA	NA
All Schools	230	82	79 - 85
b. Effect or severity of the violation			
High Schools	90	11	7 - 16
Middle Schools	130	24	19 - 29
Junior/Senior High Schools	NA	NA	NA
All Schools	230	18	15 - 21
c. Grade level of student			
High Schools	90	4	2 - 8
Middle Schools	130	12	9 - 17
Junior/Senior High Schools	NA	NA	NA
All Schools	230	8	6 - 11
d. Repeat offender status			
High Schools	90	35	29 - 42
Middle Schools	130	34	28 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	230	35	30 - 39
e. None of these			
High Schools	90	1	0 - 4
Middle Schools	130	3	1 - 6
Junior/Senior High Schools	NA	NA	NA
All Schools	230	2	1 - 4

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	89	0	NA
Middle Schools	126	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	225	0	NA
b. Referred to a school counselor			
High Schools	88	12	8 - 18
Middle Schools	121	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
All Schools	219	6	4 - 8
c. Referred to a school administrator			
High Schools	89	0	NA
Middle Schools	125	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	224	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	88	18	13 - 25
Middle Schools	121	22	18 - 28
Junior/Senior High Schools	NA	NA	NA
All Schools	218	21	18 - 26
e. Required to participate in an assistance, education, or cessation program			
High Schools	89	38	31 - 46
Middle Schools	119	38	32 - 44
Junior/Senior High Schools	NA	NA	NA
All Schools	217	38	33 - 43
f. Referred to legal authorities			
High Schools	89	23	17 - 31
Middle Schools	118	32	26 - 38
Junior/Senior High Schools	NA	NA	NA
All Schools	217	28	24 - 33

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	88	28	22 - 34
Middle Schools	117	31	25 - 37
Junior/Senior High Schools	NA	NA	NA
All Schools	214	30	26 - 34
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	88	25	19 - 32
Middle Schools	117	29	24 - 35
Junior/Senior High Schools	NA	NA	NA
All Schools	214	28	24 - 33
i. Given in-school suspension			
High Schools	88	21	16 - 28
Middle Schools	121	20	16 - 26
Junior/Senior High Schools	NA	NA	NA
All Schools	218	20	16 - 24
j. Suspended from school			
High Schools	87	2	1 - 6
Middle Schools	122	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	219	1	0 - 2
k. Expelled from school			
High Schools	88	39	32 - 46
Middle Schools	122	48	42 - 55
Junior/Senior High Schools	NA	NA	NA
All Schools	219	44	40 - 49
l. Reassigned to an alternative school			
High Schools	88	35	29 - 42
Middle Schools	122	40	34 - 46
Junior/Senior High Schools	NA	NA	NA
All Schools	219	38	34 - 42

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	89	1	0 - 4
Middle Schools	126	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	225	0	0 - 2
b. Referred to a school counselor			
High Schools	88	30	24 - 36
Middle Schools	121	16	11 - 22
Junior/Senior High Schools	NA	NA	NA
All Schools	219	21	18 - 25
c. Referred to a school administrator			
High Schools	89	0	NA
Middle Schools	125	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	224	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	88	32	25 - 40
Middle Schools	121	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
All Schools	218	24	20 - 29
e. Required to participate in an assistance, education, or cessation program			
High Schools	89	27	21 - 34
Middle Schools	119	28	22 - 34
Junior/Senior High Schools	NA	NA	NA
All Schools	217	27	23 - 32
f. Referred to legal authorities			
High Schools	89	20	15 - 26
Middle Schools	118	21	17 - 26
Junior/Senior High Schools	NA	NA	NA
All Schools	217	21	18 - 25

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	88	11	7 - 17
Middle Schools	117	16	12 - 22
Junior/Senior High Schools	NA	NA	NA
All Schools	214	14	11 - 18
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	88	27	21 - 35
Middle Schools	117	21	16 - 27
Junior/Senior High Schools	NA	NA	NA
All Schools	214	24	20 - 28
i. Given in-school suspension			
High Schools	88	8	5 - 13
Middle Schools	121	13	9 - 18
Junior/Senior High Schools	NA	NA	NA
All Schools	218	12	10 - 15
j. Suspended from school			
High Schools	87	13	8 - 19
Middle Schools	122	6	4 - 10
Junior/Senior High Schools	NA	NA	NA
All Schools	219	9	7 - 12
k. Expelled from school			
High Schools	88	43	36 - 50
Middle Schools	122	34	28 - 41
Junior/Senior High Schools	NA	NA	NA
All Schools	219	37	33 - 42
l. Reassigned to an alternative school			
High Schools	88	41	34 - 48
Middle Schools	122	31	25 - 37
Junior/Senior High Schools	NA	NA	NA
All Schools	219	35	31 - 40

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	89	5	2 - 9
Middle Schools	126	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	225	2	1 - 4
b. Referred to a school counselor			
High Schools	88	43	35 - 51
Middle Schools	121	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
All Schools	219	44	39 - 48
c. Referred to a school administrator			
High Schools	89	0	NA
Middle Schools	125	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	224	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	88	31	25 - 37
Middle Schools	121	34	29 - 39
Junior/Senior High Schools	NA	NA	NA
All Schools	218	33	29 - 37
e. Required to participate in an assistance, education, or cessation program			
High Schools	89	22	17 - 29
Middle Schools	119	19	15 - 25
Junior/Senior High Schools	NA	NA	NA
All Schools	217	22	18 - 26
f. Referred to legal authorities			
High Schools	89	22	16 - 28
Middle Schools	118	18	14 - 23
Junior/Senior High Schools	NA	NA	NA
All Schools	217	20	17 - 24

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	88	34	27 - 41
Middle Schools	117	28	23 - 33
Junior/Senior High Schools	NA	NA	NA
All Schools	214	30	26 - 34
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	88	32	26 - 40
Middle Schools	117	37	31 - 44
Junior/Senior High Schools	NA	NA	NA
All Schools	214	34	30 - 39
i. Given in-school suspension			
High Schools	88	46	39 - 53
Middle Schools	121	41	35 - 48
Junior/Senior High Schools	NA	NA	NA
All Schools	218	44	39 - 48
j. Suspended from school			
High Schools	87	52	44 - 60
Middle Schools	122	52	46 - 59
Junior/Senior High Schools	NA	NA	NA
All Schools	219	51	47 - 56
k. Expelled from school			
High Schools	88	16	11 - 23
Middle Schools	122	16	12 - 22
Junior/Senior High Schools	NA	NA	NA
All Schools	219	16	13 - 20
l. Reassigned to an alternative school			
High Schools	88	24	19 - 31
Middle Schools	122	28	22 - 34
Junior/Senior High Schools	NA	NA	NA
All Schools	219	26	22 - 31

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	89	94	90 - 97
Middle Schools	126	100	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	225	97	95 - 99
b. Referred to a school counselor			
High Schools	88	16	10 - 22
Middle Schools	121	39	33 - 45
Junior/Senior High Schools	NA	NA	NA
All Schools	219	29	25 - 34
c. Referred to a school administrator			
High Schools	89	100	NA
Middle Schools	125	100	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	224	100	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	88	19	13 - 25
Middle Schools	121	25	20 - 31
Junior/Senior High Schools	NA	NA	NA
All Schools	218	21	18 - 25
e. Required to participate in an assistance, education, or cessation program			
High Schools	89	12	9 - 17
Middle Schools	119	15	11 - 20
Junior/Senior High Schools	NA	NA	NA
All Schools	217	13	10 - 17
f. Referred to legal authorities			
High Schools	89	35	28 - 43
Middle Schools	118	29	24 - 34
Junior/Senior High Schools	NA	NA	NA
All Schools	217	31	27 - 35

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	88	28	22 - 34
Middle Schools	117	25	20 - 31
Junior/Senior High Schools	NA	NA	NA
All Schools	214	26	22 - 30
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	88	15	10 - 22
Middle Schools	117	13	9 - 17
Junior/Senior High Schools	NA	NA	NA
All Schools	214	14	11 - 18
i. Given in-school suspension			
High Schools	88	25	19 - 32
Middle Schools	121	25	20 - 32
Junior/Senior High Schools	NA	NA	NA
All Schools	218	24	20 - 29
j. Suspended from school			
High Schools	87	33	26 - 40
Middle Schools	122	41	35 - 48
Junior/Senior High Schools	NA	NA	NA
All Schools	219	39	34 - 44
k. Expelled from school			
High Schools	88	2	1 - 6
Middle Schools	122	2	1 - 4
Junior/Senior High Schools	NA	NA	NA
All Schools	219	2	1 - 4
l. Reassigned to an alternative school			
High Schools	88	0	NA
Middle Schools	122	2	1 - 4
Junior/Senior High Schools	NA	NA	NA
All Schools	219	1	0 - 2

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
High Schools	86	73	66 - 79
Middle Schools	122	58	52 - 64
Junior/Senior High Schools	NA	NA	NA
All Schools	218	63	58 - 67

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that did the following activities during the past two years.

	N	Percent	95% Confidence Interval
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts			
High Schools	88	50	43 - 57
Middle Schools	130	37	32 - 43
Junior/Senior High Schools	NA	NA	NA
All Schools	228	42	38 - 46
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use			
High Schools	88	47	39 - 54
Middle Schools	129	45	39 - 51
Junior/Senior High Schools	NA	NA	NA
All Schools	227	45	41 - 50

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	89	23	17 - 31
Middle Schools	129	18	15 - 23
Junior/Senior High Schools	NA	NA	NA
All Schools	228	21	18 - 25
b. Students			
High Schools	89	30	24 - 37
Middle Schools	129	20	16 - 26
Junior/Senior High Schools	NA	NA	NA
All Schools	228	25	21 - 29

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	88	31	23 - 39
Middle Schools	130	34	29 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	228	34	29 - 38
b. Students			
High Schools	89	39	32 - 47
Middle Schools	128	38	33 - 44
Junior/Senior High Schools	NA	NA	NA
All Schools	227	39	34 - 43

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	N	Percent	95% Confidence Interval
a. Foods or beverages are not offered at school celebrations			
High Schools	90	2	1 - 6
Middle Schools	128	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
All Schools	228	1	1 - 3
b. Never			
High Schools	90	2	1 - 6
Middle Schools	128	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	228	1	0 - 2
c. Rarely			
High Schools	90	8	5 - 13
Middle Schools	128	11	8 - 16
Junior/Senior High Schools	NA	NA	NA
All Schools	228	9	7 - 13
d. Sometimes			
High Schools	90	48	41 - 55
Middle Schools	128	52	45 - 58
Junior/Senior High Schools	NA	NA	NA
All Schools	228	52	47 - 57
e. Always or almost always			
High Schools	90	40	32 - 48
Middle Schools	128	36	30 - 42
Junior/Senior High Schools	NA	NA	NA
All Schools	228	37	32 - 41

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	89	95	89 - 97
Middle Schools	129	70	64 - 76
Junior/Senior High Schools	NA	NA	NA
All Schools	228	80	76 - 84

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
a. Chocolate candy			
High Schools	88	61	53 - 68
Middle Schools	126	24	19 - 30
Junior/Senior High Schools	10	61	34 - 83
All Schools	224	40	36 - 45
b. Other kinds of candy			
High Schools	87	69	62 - 75
Middle Schools	127	34	28 - 41
Junior/Senior High Schools	NA	NA	NA
All Schools	223	47	43 - 52
c. Salty snacks that are not low in fat, such as regular potato chips			
High Schools	87	59	52 - 66
Middle Schools	129	31	26 - 38
Junior/Senior High Schools	10	61	34 - 83
All Schools	226	43	39 - 48
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat			
High Schools	87	55	47 - 62
Middle Schools	128	31	26 - 37
Junior/Senior High Schools	10	61	34 - 83
All Schools	225	42	37 - 46
e. Ice cream or frozen yogurt that is not low in fat			
High Schools	87	22	16 - 28
Middle Schools	128	17	13 - 22
Junior/Senior High Schools	10	23	8 - 50
All Schools	225	19	16 - 23
f. 2% or whole milk (plain or flavored)			
High Schools	86	53	46 - 60
Middle Schools	127	39	32 - 45
Junior/Senior High Schools	10	72	47 - 88
All Schools	223	46	41 - 50

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
g. Water ices or frozen slushes that do not contain juice			
High Schools	86	22	15 - 29
Middle Schools	127	13	9 - 18
Junior/Senior High Schools	10	34	17 - 58
All Schools	223	17	14 - 21
h. Soda pop or fruit drinks that are not 100% juice			
High Schools	86	71	63 - 78
Middle Schools	128	36	30 - 42
Junior/Senior High Schools	10	53	27 - 77
All Schools	224	50	45 - 54
i. Sports drinks, such as Gatorade			
High Schools	87	84	77 - 89
Middle Schools	127	54	48 - 60
Junior/Senior High Schools	10	89	61 - 97
All Schools	224	67	63 - 71
j. Foods or beverages containing caffeine			
High Schools	86	69	62 - 76
Middle Schools	126	32	26 - 38
Junior/Senior High Schools	10	53	27 - 77
All Schools	222	47	42 - 51
k. Fruits (not fruit juice)			
High Schools	87	42	36 - 49
Middle Schools	127	24	18 - 30
Junior/Senior High Schools	10	30	13 - 55
All Schools	224	31	27 - 35
l. Non-fried vegetables (not vegetable juice)			
High Schools	87	31	24 - 39
Middle Schools	127	17	12 - 22
Junior/Senior High Schools	10	30	13 - 55
All Schools	224	23	19 - 27

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	86	57	49 - 65
Middle Schools	124	47	41 - 53
Junior/Senior High Schools	NA	NA	NA
All Schools	219	51	46 - 56

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during this school year.

	N	Percent	95% Confidence Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages			
High Schools	90	12	8 - 18
Middle Schools	127	13	10 - 18
Junior/Senior High Schools	NA	NA	NA
All Schools	227	12	9 - 15
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating			
High Schools	90	42	35 - 49
Middle Schools	127	49	43 - 55
Junior/Senior High Schools	NA	NA	NA
All Schools	227	45	40 - 49
c. Provided information to students or families on the nutrition and caloric content of foods available			
High Schools	89	38	31 - 45
Middle Schools	128	49	42 - 56
Junior/Senior High Schools	NA	NA	NA
All Schools	226	44	39 - 49
d. Conducted taste tests to determine food preferences for nutritious items			
High Schools	90	20	15 - 28
Middle Schools	125	23	18 - 29
Junior/Senior High Schools	NA	NA	NA
All Schools	225	21	17 - 26
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics			
High Schools	90	21	16 - 27
Middle Schools	128	17	13 - 22
Junior/Senior High Schools	NA	NA	NA
All Schools	228	18	15 - 21

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.

	N	Percent	95% Confidence Interval
High Schools	88	5	2 - 9
Middle Schools	126	3	1 - 6
Junior/Senior High Schools	NA	NA	NA
All Schools	224	3	2 - 6

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
High Schools	90	64	56 - 71
Middle Schools	129	66	59 - 71
Junior/Senior High Schools	NA	NA	NA
All Schools	229	66	61 - 70
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus			
High Schools	90	46	38 - 53
Middle Schools	129	64	58 - 70
Junior/Senior High Schools	NA	NA	NA
All Schools	229	57	52 - 61
c. On school buses or other vehicles used to transport students			
High Schools	89	70	62 - 76
Middle Schools	129	74	69 - 79
Junior/Senior High Schools	NA	NA	NA
All Schools	228	73	69 - 77
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)			
High Schools	90	43	35 - 50
Middle Schools	129	67	60 - 72
Junior/Senior High Schools	NA	NA	NA
All Schools	229	57	52 - 61

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a full-time registered nurse who provides health services to students.

	N	Percent	95% Confidence Interval
High Schools	90	83	75 - 88
Middle Schools	130	83	77 - 87
Junior/Senior High Schools	NA	NA	NA
All Schools	230	83	79 - 86

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
a. This school does not identify students diagnosed with chronic health conditions such as asthma			
High Schools	87	1	0 - 4
Middle Schools	128	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	225	0	0 - 2
b. Student emergency cards			
High Schools	87	80	74 - 85
Middle Schools	128	88	83 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	225	84	80 - 87
c. Medication records			
High Schools	87	81	74 - 86
Middle Schools	128	87	82 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	225	84	80 - 88
d. Health room visit information			
High Schools	88	73	66 - 80
Middle Schools	129	84	80 - 88
Junior/Senior High Schools	NA	NA	NA
All Schools	227	80	76 - 84
e. Emergency care plans			
High Schools	87	67	60 - 73
Middle Schools	129	66	60 - 71
Junior/Senior High Schools	NA	NA	NA
All Schools	226	66	62 - 71
f. Physical exam records			
High Schools	89	39	32 - 47
Middle Schools	129	43	37 - 49
Junior/Senior High Schools	NA	NA	NA
All Schools	228	41	37 - 46

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
g. Notes from parents			
High Schools	87	82	75 - 88
Middle Schools	128	91	88 - 94
Junior/Senior High Schools	NA	NA	NA
All Schools	225	88	84 - 90
h. Other			
High Schools	90	16	11 - 22
Middle Schools	128	16	12 - 22
Junior/Senior High Schools	NA	NA	NA
All Schools	228	17	14 - 21

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	N	Percent	95% Confidence Interval
a. School has no students with known asthma			
High Schools	88	0	NA
Middle Schools	128	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
All Schools	226	1	1 - 3
b. All students with known asthma have an asthma action plan on file			
High Schools	88	61	53 - 68
Middle Schools	128	68	62 - 74
Junior/Senior High Schools	NA	NA	NA
All Schools	226	66	61 - 71
c. Most students with known asthma have an asthma action plan on file			
High Schools	88	29	22 - 36
Middle Schools	128	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
All Schools	226	21	18 - 25
d. Some students with known asthma have an asthma action plan on file			
High Schools	88	8	5 - 12
Middle Schools	128	9	6 - 13
Junior/Senior High Schools	NA	NA	NA
All Schools	226	9	7 - 12
e. No students with known asthma have an asthma action plan on file			
High Schools	88	2	1 - 6
Middle Schools	128	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
All Schools	226	2	1 - 4

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. School does not identify students with poorly controlled asthma			
High Schools	90	12	7 - 18
Middle Schools	128	8	6 - 12
Junior/Senior High Schools	NA	NA	NA
All Schools	228	10	7 - 13
b. Frequent absences from school			
High Schools	90	28	22 - 35
Middle Schools	129	46	40 - 52
Junior/Senior High Schools	NA	NA	NA
All Schools	229	37	33 - 42
c. Frequent visits to the school health office due to asthma			
High Schools	90	78	72 - 83
Middle Schools	129	82	77 - 87
Junior/Senior High Schools	NA	NA	NA
All Schools	229	80	76 - 83
d. Frequent asthma symptoms at school			
High Schools	90	58	50 - 66
Middle Schools	129	69	63 - 74
Junior/Senior High Schools	NA	NA	NA
All Schools	229	65	60 - 69
e. Frequent non-participation in physical education class due to asthma			
High Schools	90	30	23 - 37
Middle Schools	128	39	33 - 45
Junior/Senior High Schools	NA	NA	NA
All Schools	228	35	31 - 40
f. Students sent home early due to asthma			
High Schools	90	43	36 - 51
Middle Schools	129	54	48 - 60
Junior/Senior High Schools	NA	NA	NA
All Schools	229	49	44 - 53

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Calls from school to 911, or other local emergency numbers, due to asthma			
High Schools	90	23	17 - 30
Middle Schools	130	25	20 - 30
Junior/Senior High Schools	NA	NA	NA
All Schools	230	23	20 - 27

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. Providing referrals to primary healthcare clinicians or child health insurance programs			
High Schools	84	71	63 - 78
Middle Schools	121	63	56 - 69
Junior/Senior High Schools	NA	NA	NA
All Schools	215	67	62 - 71
b. Ensuring an appropriate written asthma action plan is obtained			
High Schools	85	90	84 - 93
Middle Schools	125	86	82 - 90
Junior/Senior High Schools	NA	NA	NA
All Schools	220	87	84 - 90
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school			
High Schools	83	83	76 - 88
Middle Schools	122	88	84 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	215	86	82 - 89
d. Offering asthma education for the student with asthma and his/her family			
High Schools	82	62	54 - 69
Middle Schools	121	61	56 - 67
Junior/Senior High Schools	NA	NA	NA
All Schools	213	61	56 - 65
e. Minimizing asthma triggers in the school environment			
High Schools	82	72	65 - 79
Middle Schools	124	82	77 - 87
Junior/Senior High Schools	NA	NA	NA
All Schools	216	79	74 - 82
f. Addressing social and emotional issues related to asthma			
High Schools	81	56	48 - 64
Middle Schools	118	59	52 - 65
Junior/Senior High Schools	NA	NA	NA
All Schools	209	58	53 - 62

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Providing additional psychosocial counseling or support services as needed			
High Schools	80	49	41 - 57
Middle Schools	119	54	47 - 60
Junior/Senior High Schools	NA	NA	NA
All Schools	209	53	48 - 58
h. Ensuring access to safe, enjoyable physical education and activity opportunities			
High Schools	84	90	84 - 94
Middle Schools	122	93	89 - 95
Junior/Senior High Schools	NA	NA	NA
All Schools	216	91	88 - 93
i. Ensuring access to preventive medications before physical activity			
High Schools	84	87	81 - 92
Middle Schools	123	88	83 - 91
Junior/Senior High Schools	NA	NA	NA
All Schools	217	87	84 - 90

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.

	N	Percent	95% Confidence Interval
High Schools	89	100	NA
Middle Schools	129	100	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	228	100	NA

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.

	N	Percent	95% Confidence Interval
High Schools	83	100	NA
Middle Schools	126	100	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	218	100	NA

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	N	Percent	95% Confidence Interval
a. More than once per year			
High Schools	88	2	0 - 6
Middle Schools	129	7	5 - 10
Junior/Senior High Schools	NA	NA	NA
All Schools	227	5	3 - 7
b. Once per year			
High Schools	88	48	42 - 55
Middle Schools	129	48	43 - 54
Junior/Senior High Schools	NA	NA	NA
All Schools	227	50	46 - 54
c. Less than once per year			
High Schools	88	10	6 - 15
Middle Schools	129	8	5 - 12
Junior/Senior High Schools	NA	NA	NA
All Schools	227	8	6 - 11
d. No such requirement			
High Schools	88	40	33 - 48
Middle Schools	129	36	31 - 42
Junior/Senior High Schools	NA	NA	NA
All Schools	227	37	33 - 41

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

	N	Percent	95% Confidence Interval
High Schools	88	90	85 - 94
Middle Schools	127	80	75 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	225	83	80 - 87

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	74	95	92 - 97
Middle Schools	95	97	93 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	176	96	93 - 97
b. Parents/families			
High Schools	74	95	90 - 97
Middle Schools	96	97	93 - 99
Junior/Senior High Schools	NA	NA	NA
All Schools	177	96	93 - 97

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	71	10	6 - 17
Middle Schools	85	11	7 - 17
Junior/Senior High Schools	NA	NA	NA
All Schools	162	12	9 - 16
b. Principal			
High Schools	71	11	6 - 18
Middle Schools	85	10	7 - 16
Junior/Senior High Schools	NA	NA	NA
All Schools	162	11	8 - 15
c. Assistant principal			
High Schools	71	0	NA
Middle Schools	85	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	162	0	NA
d. School nurse			
High Schools	71	75	67 - 81
Middle Schools	85	79	71 - 85
Junior/Senior High Schools	NA	NA	NA
All Schools	162	75	70 - 80
e. Other school faculty or staff member			
High Schools	71	4	2 - 9
Middle Schools	85	0	NA
Junior/Senior High Schools	NA	NA	NA
All Schools	162	2	1 - 4

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	89	22	16 - 29
Middle Schools	129	20	15 - 25
Junior/Senior High Schools	NA	NA	NA
All Schools	228	21	17 - 25
b. Tobacco-use prevention			
High Schools	89	23	17 - 29
Middle Schools	129	26	20 - 32
Junior/Senior High Schools	NA	NA	NA
All Schools	228	24	20 - 29
c. Physical activity			
High Schools	89	26	20 - 33
Middle Schools	129	31	26 - 37
Junior/Senior High Schools	NA	NA	NA
All Schools	228	29	25 - 33
d. Nutrition and healthy eating			
High Schools	89	30	24 - 36
Middle Schools	129	41	35 - 47
Junior/Senior High Schools	NA	NA	NA
All Schools	228	36	32 - 41
e. Asthma			
High Schools	89	18	13 - 25
Middle Schools	128	20	15 - 26
Junior/Senior High Schools	NA	NA	NA
All Schools	227	19	16 - 23

NA=Not available

N=Unweighted number of observations

**South Carolina
2008 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	88	28	22 - 36
Middle Schools	126	31	25 - 37
Junior/Senior High Schools	NA	NA	NA
All Schools	224	29	25 - 34
b. Tobacco-use prevention			
High Schools	88	28	22 - 36
Middle Schools	127	35	30 - 40
Junior/Senior High Schools	NA	NA	NA
All Schools	225	32	28 - 37
c. Physical activity			
High Schools	88	30	24 - 38
Middle Schools	127	37	32 - 43
Junior/Senior High Schools	NA	NA	NA
All Schools	225	34	30 - 38
d. Nutrition and healthy eating			
High Schools	88	35	29 - 42
Middle Schools	127	47	41 - 53
Junior/Senior High Schools	NA	NA	NA
All Schools	225	42	38 - 47
e. Asthma			
High Schools	88	20	14 - 27
Middle Schools	125	18	13 - 23
Junior/Senior High Schools	NA	NA	NA
All Schools	223	18	15 - 22

NA=Not available

N=Unweighted number of observations